



Visit product page



FOS PIXEL BLADE ULTRA

L006076

Pixel blade moving head, 5x 60W RGBW 4in1 LED, Zoom: 3.8° - 50, back side strobe: 72x 3535 White LED, pixel control (18x sections for the White LEDs). Channel: 24CH/62CH, Pan & Tilt infinite rotation.

TECHNICAL DETAILS

Light Source / Optics

In the front: Based on 5x RGBW LEDs, 60 Watt each.

In the back: Based on 72x 3535 White strobe LEDs.

Front section has zooming ability with a range from 3,8 to 50 degrees.

Back section offers a wash white strobe light projection.

Effects

Powerful RGBW color mixing, and zooming ability from tight to wide beam angles in the front section.

Bright strobe in the back side of the head.

Infinite pan and tilt rotation.

Pixel control on both sides (5 sections in front and 18 in the back).

Strobe effect up to 20 Hz.

Control

Auto, DMX, and Manual control.

DMX Control with 24, or 62 channels.

Technical Specifications

LED approximate lifespan: 50,000 hours.
Input voltage: 100 / 240 Volt AC, 50 / 60 Hz.
10kHz Flicker-free LED operation.
Power Consumption: 500 Watt maximum.
Input and output PowerCON connection.
DMX connection with 3pin XLR.
Net weight: 13 Kg.

Packing Details

62 x 47 x 31 cm, 15 Kgs

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Case Pixel Blade Ultra
Flight case with wheel for
4 pcs Pixel Blade Ultra



**FOS SUPER CLAMP 200
BLACK**
Professional clamp for
fixtures lifting weight 200



FOS SUPER CLAMP 200
Professional clamp for
fixtures lifting weight 200



FC-PDC-3
Professional PowerCon /
DMX cable 3 meter,

