



Visit product page



## FOS PAR 18X15WPRO RGBWA

L004898

Professional high quality aluminium led par with powercon input and and output. Beam aperture: 30°, 18 RGBW + Amber 15w LEDs (5in1)Dimmer: 0-100% stop/strobe effect, noiseless cooling system.

### TECHNICAL DETAILS

#### Light Source/Optics

18 RGBWÁ 15w LEDs (5in1)  
Average lifespan: 50000 Hours  
Beam aperture: 30°  
Noiseless cooling system

#### Effects

RGBW dimming/fade.  
RGBW color mixing  
Auto programs with speed adjustment  
Preset colors  
Dimmer: 0-100% linear dimming  
Adjustable speed stop/strobe effect (1-10 flash/sec)

#### Control

Control modes: DMX 512 (5 - 11 DMX channels), sound activated, auto mode  
Stand-alone mode and Master/Slave modes  
Data in/out: 3 pin XLR and 5 pin XLR

#### Installation/Dimension Details

Yoke system, which act as a floor stand

Operating positions: all (device on floor or fixed to a support).

Maximum permitted ambient temperature (Ta max): 45°C (113°F). Minimum permitted ambient temperature authorized (Ta min): -10°C (14°F).

Suitable only for entertainment and not architectural lighting applications.

Voltage: 90 to 240 Volts – 50/60Hz

Power consumption: 220 Watt

Powercon input and output

Dimensions: 13 x 10 x 23 cm

Weight: 4kg

## Packing Details

Carton box for 1 pc: 28 x 27 x 20 cm - 5 kg

Carton box for 4 pcs: 56 x 30 x 43 - 21 kg

## PHOTOS



## PRODUCT VIDEO



## ACCESSORIES



**FOS Case 8in1 PAR PRO**  
Flight case with wheels for  
8pcs Pro series and T



**FOS SUPER CLAMP 200  
BLACK**  
Professional clamp for  
fixtures lifting weight 200



**FOS SUPER CLAMP 200**  
Professional clamp for  
fixtures lifting weight 200



**FC-PDC-3**  
Professional PowerCon /  
DMX cable 3 meter,

