



Visit product page



## FOS SCORPIO SPOT

L005502

Professional Spot moving head, 200 watt Led source 7500K, standard optics 16°, electronic focus 2.5-30m, 7 colors , 8 static gobos, 6 rotating indexable gobos, 3 facet prism , 55db low noise fans , powercon in/out,.

### TECHNICAL DETAILS

#### Light Source / Optics

Light Source: 200 Watt White LED 7500 Kelvin.

50,000 hours life span.

Specific high precision glass optic system with 16° projection angle.

2.5m-15m electronic focus.

Low power consumption.

#### Effects

7 colors plus white.

8 Static gobos plus open.

6 Rotating gobos plus open.

electronic focus 2,5 to 30 meters.

3F rotating prism.

electronic dimmer 0 - 100%.

Strobe, random strobe and pulsing effects.

#### Control

Master / Slave, Sound active, Auto and DMX control.

14 or 16 DMX control channels.

Pan / Tilt with 8bit / 16 bit resolution.

360 / 540 / 630 Pan & 90 / 180 / 270 Tilt degrees movement range.  
TFT LCD 2,4" display for accessing the options menu.

### Installation / Dimension details

Power Supply: 90 / 260 Volt AC, 50 / 60 Hz.

Power Consumption: 235 Watt.

Power in/out with Powercon plugs.

DMX signal in/out with 3pin XLR plugs.

IP20, for indoor use only.

55dB at 3' dB rating noise level..

2 Omega clamps for truss installation.

Dimensions: 307 x 224 x 418 mm (D x W x H)

Packing Dimensions: 380 x 280 x 505 mm (D x W x H)

Net Weight: 10,4 Kg.

Gross Weight: 12,5 Kg.

### PHOTOS



### PRODUCT VIDEO



## ACCESSORIES



### FOS Folded Clamp

Folded clamp for FOS moving heads. Suitable for Ti



### FOS Double Case Scorpio Spot/Beam

Double case with wheels for 2 pcs Scorpio Spot or



### FOS SUPER CLAMP 200 BLACK

Professional clamp for fixtures lifting weight 200



### FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200



### FC-PDC-3

Professional PowerCon / DMX cable 3 meter,

