



Visit product page



FOS LUMINUS TABLE

L006177

Wireless DMX battery table light, Die-cast aluminum and ABS Mirror finish housing, 6x3W, RGB 3-in-1, 6x1W white led, CT6000~6500K leds, battery life maximum 15 hours at running single color, White led CRI >90Ra, OLED display with touch buttons, IR remote control, Fixture dimensions 147x345x200mm, 1.5kg.

TECHNICAL DETAILS

Product description

Battery light LED light fixture, suitable for table decorations in events, weddings, exhibitions etc.

Its base is magnetic, for easy and steady mounting on a table.

The accessories includes transportation case with charging station, height extension module, metal base, and remote control.

It's compatible with the AirLink signal transmitters, for easy control.

Light Source

Light source: 6x3 Watt RGB, and 6x1 Watt White LED

4 dimmer curves, linear dimming and strobe effect.

Colour Temperature: 6000 - 6500 Kelvin.

White LED CRI > 90 Ra.

360° light field coverage.

50.000 hours approximate LED lifespan.

Control

Operates as stand alone, master / slave, with IR remote control, or via DMX (Wirelessly connected).

selection from static, dynamic colour changes, and various color temperatures for stand alone mode.

Compatible with our AirLink wireless transmitters.

DMX control channels: 4, 6 and 10.

OLED display with touch buttons for accessing the options menu.

Technical Specifications

Power consumption: 15 Watt max.

Charged via magnetic DC connector (the Luminus Transportation Case is required)

Die-cast aluminum and ABS made housing.

Mirror finish housing.

Fixture dimensions: 147 x 200 x 345 mm (W x D x H).

Height with the extender added: 646 mm.

Net weight: 1,5 Kg.

Operating temperatures: -10°C - 45°C.

Battery charging temperatures: -0°C - 45°C.

Silent operation, passive cooling.

Battery Characteristics

Battery specifications: 11.1 Volt, 8.8 Ah.

Charging time: 4.5 hours.

Life: approximately 5 hours at full on, 10 hours in auto color mixing, and 15 hours at single color.

Battery percentage is indicated on OLED display.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS AirLink 24

AirLink DMX transmitter/
fader desk for the Solo a



FOS AirLink Foldable

AirLink DMX transmitter
for the Solo / Luminus / N



FOS AirLink PRO

AirLink DMX transmitter
for the Solo and Luminus P



FOS Luminus Table Case

ABS case with foam and
charging station for 4 pcs

