



Visit product page



FOS SPOT 100W PRO

L004678

Led Spot moving head, Beam angle: 12.5°, 100W Luminus Led, 7500K Cool White, motorized focus, 7 colors + white, 6 rotated gobos + white, Gobo size 21.8mm, 3 facet prism rotation,

TECHNICAL DETAILS

Light Source / Optics

100 Watt White LED source. 7500K color temperature. 50000 hours life span rated. 12.5° Beam angle. Antireflection 136 mm front lenses.

Effects

1 rotating gobo wheel with 6 interchangeable gobos with speed adjustable scroll effect, dithering effect and rotatable clockwise / anticlockwise.

Gobo size: 21,8 mm external, 14,5mm image.

7 colors + open / white with rainbow effect.

3F rotating prism

Motorized focus from 2,5 to 15 m.

0 - 100% linear dimming.

25 Hz strobe effect

8/16 bit resolution smooth and precise for PAN/TILT movement.

Range: 360°/540°/630° PAN and 90°/180°/270° TILT movement

PAN/TILT inversion available

Auto reposition after unexpected movement.

Control

11 / 13 DMX control channels

Auto / Sound function

Installation / Dimension Details

ABS die-cast plastic cover with Aluminium structure

2.4" TFT LCD display (320*240pix)

PowerCON connector IN/OUT

3-Pin XLR connectors IN/OUT

55dB at 3'dB rating

2x Omega Clamps

1x Safety cable

Power Supply: 90/260 Volt, 50/60 Hz.

Power Consumption: 137 Watt

Dimensions: 149 x 70 x 366 mm (D x W x H)

Paking Dimensions: 350 x 450 x 240 mm (D x W x H)

Net Weight: 6,72 Kg

PHOTOS



PRODUCT VIDEO



ACCESSORIES



Fos Case Spot/Beam 100 /150 PRO

Flight case with wheels for 4 pcs Spot 100 PRO.



FOS SUPER CLAMP 200 BLACK

Professional clamp for fixtures lifting weight 200



FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200



FC-PDC-3

Professional PowerCon / DMX cable 3 meter,

