



Visit product page



FOS PAR 12X15WPRO RGBWA

L004899

Professional high quality aluminium led par with powercon input and and output. Beam aperture: 25°, 12 RGBW + Amber 15w LEDs (5in1), Dimmer: 0-100% , stop/strobe effect, noiseless cooling system.

TECHNICAL DETAILS

Light Source/Optics

12 RGBWÁ 15w LEDs (5in1)
Average lifespan: 50000 Hours
Beam aperture: 25°
Noiseless cooling system

Effects

RGBW dimming/fade.
RGBW color mixing
Auto programs with speed adjustment
Preset colors
Dimmer: 0-100% linear dimming
Adjustable speed stop/strobe effect (1-10 flash/sec)

Control

Control modes: DMX 512 (8 DMX channels), sound activated, auto mode
Stand-alone mode and Master/Slave modes
Data in/out: 3 pin XLR and 5 pin XLR

Installation/Dimension Details

Yoke system, which act as a floor stand

Operating positions: all (device on floor or fixed to a support)

Maximum permitted ambient temperature (Ta max): 45°C (113°F). Minimum permitted ambient temperature authorized (Ta min): -10°C (14°F).

Suitable only for entertainment and not architectural lighting applications.

Voltage: 90 to 240 Volts – 50/60Hz

Power consumption: 190 Watt

Powercon input and output

Dimensions: 13 x 10 x 23 cm

Weight: 4kg

Packing Details

Carton box for 1 pc: 28 x 27 x 20 cm - 5 kg

Carton box for 4 pcs: 56 x 30 x 43 - 21 kg

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Case 8in1 PAR PRO

Flight case with wheels for 8pcs Pro series and T

FOS SUPER CLAMP 200 BLACK

Professional clamp for fixtures lifting weight 200

FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200

FC-PDC-3

Professional PowerCon / DMX cable 3 meter,

