



Visit product page



FOS AURORA

L005444

Super Bright Beam/Wash moving head, 7 leds 40watt 4in1 RGBW, 7 pixel control rings , 6-60° Electronic Zoom, graphic effect macros, 0-100% linear dimmer, powercon in/out.

TECHNICAL DETAILS

Light Source

Aurora uses two different LED types for different purposes!

It's based on 7x 40 Watts RGBW LEDs for the wash light projection and 90x 5050 SMD LEDs for the neon light effect.

Motorized zoom from 6 to 60 degrees.

Independent pixel control for each of the 7 RGBW LEDs is also available.

Effects

Accurate RGBW color mixing.

Motorized Zoom.

'Neon light' effect with RGB mixing / master dimmer and build-in chasing effects, rainbow types, gradients.

Pixel control for the 7 main LED light sources.

Control

Auto, Sound, Master / Slave & DMX control modes.

59, 31 & 25 control channels.

Pan / Tilt with auto reposition function.

Installation / Dimension Details

Power Supply: 90 / 260 Volt AC, 50 / 60 Hz.

Power Consumption: 350 Watts maximum.

Powercon Input / Output

DMX signal input with 3 pin XLR.

Fixture Dimensions: 380 x 200 x 400 mm.

Packing Dimensions: 410 x 305 x 415 mm.

Net weight: 9,5 Kg.

Gross weight: 12 Kg.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



Fos Case Aurora

Flight case with wheels for 4 pcs Aurora Wash.



FOS Folded Clamp

Folded clamp for FOS moving heads. Suitable for Ti



FOS SUPER CLAMP 200
BLACK

Professional clamp for fixtures lifting weight 200



FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200



FC-PDC-3

Professional PowerCon / DMX cable 3 meter,

