



Visit product page



FOS PICO PRO

L005311

Unlimited Rotation Beam moving head with 60 watt Led Osram multi-chip RGBW.Dimmer, Beam Angle 5°, High-efficiency 94 mm optics, 0-100% linear dimming , Adjustable speed strobe effect ,Pan/Tilt 360° infinite rotation, Powercon in , 5kg.

TECHNICAL DETAILS

Light Source / Optics

60 Watt OSRAM LED source
4 in 1, smooth color mixing
5° beam angle

Effects

Infinite and limited Pan & Tilt movement.
Strobe effects with adjustable speed.

Control

Sound to light and DMX512 control modes.
15 or 17 control channels.
LCD display for accessing the options menu.

Installation / Dimension details

Small and light weight, only 4,5 Kgs
Can be mountain on truss, via a single omega clamp, or on the floor position.
DMX connection with 3pin XLR.
Power connection with PowerCON plug.

Power requirements: AC 90-240 Volt, 50/60 Hz.

Power consumption: 130 Watt maximum.

Dimensions: 350 x 260 x 310 mm

Carton Size: 610 x 410 x 750 mm

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FC-PDC-3

Professional PowerCon /
DMX cable 3 meter,



FOS SUPER CLAMP 200

Professional clamp for
fixtures lifting weight 200



**FOS SUPER CLAMP 200
BLACK**

Professional clamp for
fixtures lifting weight 200



FOS Case Pico PRO

Case with wheels for 6 pcs
Pico PRO

