



Visit product page



FOS HYDOR WASH

L007373

Versatile IP65 Hybrid Wash/ Beam Moving head, 19x40W high power RGBW 4 in 1 LEDs, pixel controlled RGB ring, 1:6 zoom range from 7 to 42 degrees, 0-100% linear dimmer with 4 dimmer curves, pixel led control, front lens unlimited rotation, linear CTO, 16 bit dimmer, macro colors, 22kg.

TECHNICAL DETAILS

Fixture description

Versatile hybrid Wash / Beam moving head, with IP65 protection, pixel control, zoom, multibeam/kaleidoscopic effect, and outer RGB ring for an extra, optical effect.

Light source / optics

Based on 19x high power 40-watt RGBW LEDs, 4 in 1.
Zoom ranges from 7 to 42 degrees.
Rotating lens plate, for multibeam/kaleidoscopic effects.
0-100% linear dimming, with 4 dimmer curves.

Effects

RGBW color mixing, with pixel control.
Integrated macros, linear CTO adjustment from the dedicated channel.
Multibeam effect with indexing and variable speed.
Front RGB ring with chase effects.
4 different dimmer curves

Control / Technical Specifications

DMX512 control, with 21/35/43/78/92 or 97 channel modes.

LCD display with touch buttons.

IP65-rated, suitable for outdoor use as well.

Folding clamps, are included with the fixture.

Maximum power consumption: 760 Watt.

Net Weight: 22 Kg

Gross Weight: 26 Kg

Fixture dimensions: 434 x 260 x 577 mm.

Packing dimensions: 610 x 530 x 450 mm

Flight case size: 910 x 490 x 770 mm (Case for 2x Hydor Wash fixtures), Weight 75 Kg.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Double Case Hydor Wash

Double Case with Wheels for 2 pcs Hydor Wash.



FC-TP-PDC-1.5

Professional

TruePowercon/ DMX cable
1.5 meter.



FC-TP-PDC-3

Professional

TruePowercon/ DMX cable
3 meter.



FC-TP-PDC-5

Professional

TruePowercon/ DMX cable
5 meter.

