



Visit product page



## FOS IRIDIUM 6X15W WASH

L005419

Led wash moving head, 6\*15W 4-IN-1 RGBW leds, 6°-60° electronic linear zoom, 13/15 DMX channels, powercon in/out,

### TECHNICAL DETAILS

#### Light Source / Optics

Based on 6x 15 Watts RGBW LED light sources.

Rated with 50,000 hours lifespan.

Beam angle from 6° to 60°.

6°: 67980 LUX @ 1 meter, 1330 LUX @ 7 meters (RGBW full on).

60° 6369 LUX @ 1 meter, 297 LUX @ 5 meters (RGBW full on).

#### Effects

RGBW color mixing

Motorized zoom from 6° to 60°

Linear dimmer, pulse and strobe effects.

#### Control

Auto, Sound & DMX512 control modes.

13 or 15 DMX control channels.

Color macros available on separate channel.

IR control for basic functions included in the package (Dimming, Strobe, Auto & Sound mode activations with adjustable speed / mic sensitivity).

TFT 1,44" screen for accessing the options menu.

## Dimensions / Installation details

Power supply: 90 / 260 Volt AC, 50 / 60 Hz.

Power consumption: 120 Watt.

PowerCON input & output.

DMX512 input & output with 3pin XLR.


Dimensions: 243 x 151 x 278 mm (D x W x H)

Packing Dimensions: 410 x 340 x 270 (D x W x H)

Net Weight: 4,05 Kgs.

Gross Weight: 5,50 Kgs.

## PHOTOS



## PRODUCT VIDEO



## ACCESSORIES



**FOS Case Iridium**

Case with wheels for 4 pcs Iridium.



**FOS Double Case Iridium**

Double case for 2 pcs Iridium.



**FOS SUPER CLAMP 200**

Professional clamp for fixtures lifting weight 200



**FC-PDC-3**

Professional PowerCon / DMX cable 3 meter,

