



Visit product page



FOS BEAM 150 PRO

L006123

High performance glass lens led beam moving head, Beam aperture: 2°, 150W Luminus Led 7500K Cool White, 14 colors + open, static gobo wheel 17 fixed gobos + open, 8-Facet rotated prism with variable speed and direction, 12/10 DMX channels, 7kg

High performance glass lens led beam moving head, Beam aperture: 2°, 150W Luminus Led 7500K Cool White, 14 colors + open, static gobo wheel 17 fixed gobos + open, 8-Facet rotated prism with variable speed and direction, 12/10 DMX channels, 7kg

TECHNICAL DETAILS

Description

Beam moving head fixture, with static gobos, dichroic colours, rotating prism, and motorised focus.

Light Source / Optics

Based on 150 Watt white LED module, of 7500 Kelvin.

Approximate life span, 50,000 hours.

Beam angle: 2°.

Motorised focus from 2,5 to 15 meters.

Effects

Colour wheel with 14 dichroic colours, plus open.

Static gobo wheel, with 17 gobos plus open.

Rotating 8F prism.

3 range modes for Pan & Tilt movement.

Linear Dimming from 0 to 100% & variable speed strobe.

Technical Specifications

Power input: AC 90/260 Volt, 50/60 Hz.

Power consumption: 142 Watt.

DMX control with 12 or 10 Channels.

Power input and output with PowerCon connectors..

3pin XLR DMX signal input and output.

55dB noise level.

IP20 rating, for indoor use only.

1x omega bracket for truss mounting.

Dimensions: 362 D x 177 W x 362 H mm

Packing dimensions: 360 D x 250 W x 450 H mm.

Net Weight: 7,1 Kgs.

Gross Weight: 9,3 Kgs.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



Fos Case Spot/Beam 100 /150 PRO

Flight case with wheels for 4 pcs Spot 100 PRO.



FOS SUPER CLAMP 200 BLACK

Professional clamp for fixtures lifting weight 200



FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200



FC-PDC-3

Professional PowerCon / DMX cable 3 meter,

