



Visit product page



FOS SMART BEAM

L006078

Innovative Beam moving head with High Brightness Seawy™ Led 150 watt, Color Temperature: 8000K, pixel control led ring, high precision glass optic system with 2° projection angle, 14 gobos plus open, 11 colors plus open, 16-facet and 24-facet prism, Powercon IN/OUT, 12.kg

TECHNICAL DETAILS

Light Source / Optics

Beam moving head fixture, based on Seawy™ LED 150 Watt.
Improved optics for uniform beam projection.
Luminosity of 5000 lm.
Colour Temperature: 8000K.
Approximate lifespan: 10,000 Hours.
2 degrees projection angle.
LED front ring for visual effects / colour chases.

Effects

11 Colours plus white / open.
14 Gobos plus open.
Motorized focus.
2x rotating prisms: 16F and 24F.
Linear electronic dimming & strobe.

Control & Installation

DMX, auto, sound to light and master / slave operation modes.
DMX Control with 22/24/30 channels.
16bit Pan / Tilt with auto reposition.
selectable movement range: 360 / 540 / 630 for Pan, 90 / 180 / 270 degrees for Tilt.

Input / Output PowerCON connections.

DMX connection with 3pin XLR.

2x omega bracket clamps.

1x safety attachment point.

Technical details

Power supply: 90 / 260 Volt AC, 50/60 Hz.

Power consumption: 200 Watt maximum.

IP20, for indoor use only.

55dB noise level.

Product dimensions: 308 x 224 x 436 mm (D x W x H).

Packing dimensions: 385 x 275 x 500 mm (D x W x H).

Net weight: 11,78 Kgs.

Gross weight: 14 Kgs.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FC-PDC-3

Professional PowerCon /
DMX cable 3 meter,



FOS SUPER CLAMP 200

Professional clamp for
fixtures lifting weight 200



FOS SUPER CLAMP 200
BLACK

Professional clamp for
fixtures lifting weight 200



FOS CASE Smart Beam /
BSW

Flight case with wheels for
4 pcs Smart Beam, BSW

