



Visit product page



FOS IQ 28X12 WASH

L005922

Moving Par Zoom wash moving head, 28x12 watt RGBW 4in1 led, DMX 512 19/35 channels, 16 bit Pan/Tilt movement , 12-60 degrees electronic linear zoom, 4 pixel group control, CTB and CTO 2800K-8000K changeable, 0-100% electronic dimming, powercon in/out , 6kg.

TECHNICAL DETAILS

Features

Based on 28x 12 Watt 4-in-1 RGBW LEDs.

LEDs are divided in 4 groups, for independent control.

Linear zoom with range from 12 to 60 degrees.

Linear colour temperature adjustment from cold to white, in dedicated DMX channels.

Pre-programmed chases / effects, with adjustable speed.

Auto, Sound and DMX control modes.

19, or 35 DMX control channels.

Technical Specifications

Power supply: 90/260 Volt AC, 50/60 Hz.

Power consumption: 215 Watt.

1.44" TFT LCD display.

PowerCON and 3-pin XLR input/output plugs.

Net weight: 5,64 Kgs.

Gross weight: 6,84 Kgs.

Dimensions: 315 x 177 x 355 mm (D x W x H).

Packing Dimensions: 330 x 230 x 320 mm (D x W x H).

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Case IQ Aurora/28x12
Flight case with wheels for
4 pcs IQ Aurora/28x12.



**FOS SUPER CLAMP 200
BLACK**
Professional clamp for
fixtures lifting weight 200



FOS SUPER CLAMP 200
Professional clamp for
fixtures lifting weight 200



FC-PDC-3
Professional PowerCon /
DMX cable 3 meter,

